| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 94 | 69 | constant with bias$3 and bolometer$1 | USPAT | 2004/02/25 08:05 |
| 95 | 37 | bias$3 with constant with current$1 and bolometer$1 | USPAT | 2004/02/25 08:15 |
| 96 | 32 | (constant with bias$3 and bolometer$1) not (bias$3 with constant with current$1 and bolometer$1 ) | USPAT | 2004/02/25 08:05 |
| 97 | 162 | bias$3 with current$1 and bolometer$1 | USPAT | 2004/02/25 08:15 |
| 98 | 104 | (bias$3 with current$1 and bolometer$1 ) not (bias$3 with constant with current$1 and bolometer$1 ) not (constant with bias$3 and bolometer$1) | USPAT | 2004/02/25 08:36 |
| 99 | 20 | (fpn or pattern adj noise$1) and bolometer$1 | USPAT | 2004/02/25 08:50 |
| 100 | 295 | (250/370.08).CCLS. | USPAT | 2004/02/25 08:50 |
| - | 90 | tanaka-akio$.in. | USPAT | 2004/02/24 15:36 |
| - | 12 | tanaka-akio$.in. | US-PGPUB | 2004/02/24 15:44 |
| - | 37 | bias$3 with constant with current$1 and bolometer$1 | USPAT | 2004/02/25 08:05 |
| - | 118 | constant with current$1 and bolometer$1 | USPAT | 2004/02/25 08:05 |
| - | 81 | (constant with current$1 and bolometer$1) not (bias$3 with constant with current$1 and bolometer$1) | USPAT | 2004/02/24 16:02 |

C:\APPS\east\workspaces\09-192474.wsp